

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/601,893	08/09/2000	Suguru Tokita	ZU-392	5309	
7590 04/16/2004		EXAMINER			
Sherman & Shalloway			GOFF II, JOHN L		
413 North Washington Street Alexandria, VA 22314			ART UNIT	PAPER NUMBER	
			1733	1733	
			DATE MAILED: 04/16/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)			
	09/601,893	TOKITA ET AL.			
Office Action Summary	Examiner	Art Unit			
	John L. Goff	1733			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period or - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timey within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on <u>15 D</u> 2a)⊠ This action is FINAL . 2b)□ This 3)□ Since this application is in condition for alloware closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-3 and 5-16 is/are pending in the ap 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-3 and 5-16 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine	er.				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the	- \	` '			
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex					
Priority under 35 U.S.C. § 119		•			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burear * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ☐ Interview Summary Paper No(s)/Mail Da				
 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 6/26/03. 		Patent Application (PTO-152)			

Art Unit: 1733

DETAILED ACTION

- 1. This action is in response to the amendment received on 12/15/03.
- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 103

3. Claims 1-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blunt (U.S. Patent 3,475,369) in view of either one of Roberts (U.S. Patent 3,328,362) or Tomita et al. (U.S. Patent 5,252,677).

Blunt is directed to a resin composition useful as a coating and/or adhesive material for metal, plastic, and cellulosic substrates. Blunt teaches the composition comprises solid particles of an olefin copolymer dispersed in an organic solvent. Blunt teaches the copolymer comprises a first α -olefin of a crystallizable copolymer such as ethylene and a second α -olefin having 2 to 20 carbon atoms wherein the second α -olefin is present in an amount of 2 to 25 mole percent and the copolymer is prepared with a metallocene catalyst. Blunt teaches the copolymer has a viscosity of 1 to 50 and a crystallinity less than 90%. Blunt teaches the dispersion generally has a solids content of 10-30% (Column 1 lines 23-25 and Column 2, lines 3-19 and Column 3, lines 3-6 and Column 4, lines 1-4, 13-16, and 26-31 and Column 6, lines 28-49 and 74-75 and Column 7, lines 10-19 and Column 11, lines 1-3 and 25-28 and Column 12, lines 27-34). Blunt is silent as to incorporating (e.g. by grafting) a polar monomer into the copolymer. It would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate (e.g.

Art Unit: 1733

by grafting) into the olefin copolymer taught by Blunt a polar monomer such as one suggested by either one of Roberts or Tomita et al. to form a resin composition having improved adhesiveness. As to the specific amount of polar monomer, one of ordinary skill in the art at the time the invention was made would have readily appreciated determining the optimum amount to give the resin a desired adhesiveness as determining this parameter is well within the ordinary skill of one in the art and would not require anything more than routine experimentation.

Regarding the particle size, Blunt teaches substantially all of the particles are less than 1 micron in their largest dimension (Column 2, lines 36-39), and thus, Blunt teaches that at least some of the particles are larger than 1 micron such that the claim limitation is met. Additionally, Blunt teaches the particles have an average particle size of 0.02 to 0.5 microns (Column 2, lines 20-27) such that it would have been obvious to one of ordinary skill in the art at the time the invention was made that the average particle size taught by Blunt would have included larger particles and in particular at least some particles having sizes greater than 1 micron.

Furthermore, the background of Blunt teaches it was known to form the particles having sizes up to 500 microns and in particular 1-5 microns, the particles being used to form adhesive films wherein films of reduced thickness have small particle sizes (Column 1, lines 27-30, 40-43, and 64-68). It would have been obvious to one of ordinary skill in the art at the time the invention was made to experimentally determine/optimize the particle size as a function of the desired thickness of the adhesive film as doing so would require nothing more than ordinary skill and routine experimentation.

Roberts discloses modifying copolymers, including those taught by Blunt, to include a polar monomer. Roberts teaches incorporating a polar monomer into the copolymers improves

Art Unit: 1733

their adhesiveness (Column 1, lines 10-32). Tomita et al. disclose modifying copolymer such as olefin copolymers with a polar monomer such that the adhesiveness of the copolymers is improved. Tomita et al. teach the polar monomer is present in an amount greater than 1% (Column 1, lines 8-25 and Column 2, lines 59-68 and Column 3, lines 1-5 and Column 9, lines 40-46 and Column 11, lines 49-60).

Regarding claims 2, 3, and 8-10, it is well known in the art to experimentally determine/optimize parameters such as those claimed (e.g. glass transition temperature, molecular weight distribution, etc.) such that absent any unexpected results one of ordinary skill in the art at the time the invention was made would have readily appreciated experimentally determine/optimizing the claimed variables as doing so would have required nothing more than ordinary skill and routine experimentation.

4. Claims 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blunt, Roberts, and Tomita et al. as applied above in paragraph 3, and further in view of Akazawa et al. (JP 63-378).

Blunt, Roberts, and Tomita et al. teach all of the limitations in claims 15 and 16 except for a specific teaching of using maleic anhydride as the polar monomer. However, it is noted that Roberts generally teaches using anhydride as the polar monomer (Column 3, lines 26-27), Blunt as modified by Roberts or Tomita et al. are not limited to any particular polar monomer, and maleic anhydride is a well known polar monomer used in graft polymerization of copolymers such as those taught by Blunt. One of ordinary skill in the art at the time the invention was made would have readily appreciated using as the polar monomer taught by Blunt as modified by Roberts or Tomita et al. maleic anhydride as maleic anhydride is a well known

Art Unit: 1733

polar monomer used in graft polymerization of olefin copolymers as shown for example by Akazawa et al.

Akazawa et al. are directed to graft polymerization of an olefin resin with a monomer such as maleic anhydride to increase the adhesiveness of the resin (See abstract).

Response to Arguments

5. Applicant's arguments filed 12/15/03 have been fully considered but they are not persuasive. Applicant argues, "None of the cited references teach a particle size limitation within the claimed range and instead teach much smaller diameters of 0.02 to 0.5 µm". As noted above, Blunt teaches substantially all of the particles are less than 1 micron in their largest dimension (Column 2, lines 36-39), and thus, Blunt teaches that at least some of the particles are larger than 1 micron such that the claim limitation is met. Additionally, Blunt teaches the particles have an average particle size of 0.02 to 0.5 microns (Column 2, lines 20-27) such that it would have been obvious to one of ordinary skill in the art at the time the invention was made that the average particle size taught by Blunt would have included larger particles and in particular at least some particles having sizes greater than 1 micron. Furthermore, the background of Blunt teaches it was known to form the particles having sizes up to 500 microns and in particular 1-5 microns, the particles being used to form adhesive films wherein films of reduced thickness have small particle sizes (Column 1, lines 27-30, 40-43, and 64-68). It would have been obvious to one of ordinary skill in the art at the time the invention was made to experimentally determine/optimize the particle size as a function of the desired thickness of the

Art Unit: 1733

adhesive film as doing so would require nothing more than ordinary skill and routine experimentation.

Applicant further argues, "Furthermore, the presently claimed range of crystallinity less than 30% is a non-obvious range of a broader disclosed range. Although Blunt discloses the extremely broad range of a crystallinity of 90% or less, the presently claimed range of less than 30% unexpectedly results in a graft modified ethylene/a-olefin random copolymer having a melting point of not higher than 90° C while having high adhesion strength." Applicants claims are not commensurate in scope with this argument as the claims do not require any particular melting point. Furthermore, Blunt teaches a crystallinity of 90% or less. Applicant has stated that a crystallinity of less than 30% results in an unexpected result, i.e. reduced melting point with high adhesion strength. The direct relationship of crystallinity and melting point is well known to one of ordinary skill in the art such that reducing the crystallinity to reduce the melting point would have been obvious/appreciated by one of ordinary skill in the art. Furthermore, applicants results on pages 99-104 show Example 1 having a grafted polar monomer and crystallinity of 20% has a higher adhesion strength than Comparative Example 1 not having a grafted polar monomer and crystallinity of 2% such that it appears the unexpected result of increased adhesion is a result of the grafted polar monomer rather than the crystallinity. In any event, the results do not compare two adhesive compositions of the present invention wherein the only difference lies in the crystallinity, i.e. one above 30% and one below 30%, such that there is no clear showing of unexpected results.

Art Unit: 1733

Conclusion

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **John L. Goff** whose telephone number is **(571) 272-1216**. The examiner can normally be reached on M-F (7:15 AM - 3:45 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1733

Page 8

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John L. Goff

goh &

April 13, 2004

PRIMARY EXAMINER **GROUP 1300**